



**iQ300**  
**ET875FCP1D**  
**812 mm**



Simple and sleek, the modern glass ceramic cooktop is easy to keep clean

- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.
- ✓ Space for large pots and roasting pans thanks to the 21 cm and 23 cm two-ring cooking zones and extendable roasting zone.
- ✓ The child safety lock safely prevents unintentional switch-on.
- ✓ There's no need to worry about leaving the cooktop on, as the timer and switch-off function safely turns off the cooking zone when the cooking time expires.

### Features

#### Technical Data

Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 4  
 Required niche size for installation (HxWxD) : 45 x 780-780 x 500-500  
 Width of the product (mm) : 812  
 Dimensions of the product (mm) : 45 x 812 x 520  
 Dimensions of the packed product (HxWxD) (mm) : 100 x 620 x 1130  
 Net weight (kg) : 10.0  
 Gross weight (kg) : 12.0  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Basic surface material : Ceramic  
 Color of surface : Alu, brushed, Black  
 Color of frame : Alu, brushed  
 Approval certificates : CE, VDE  
 EAN code : 4242003766538  
 Electrical connection rating (W) : 9300  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60



### Optional accessories

- HZ394301 Connecting strip
- HZ392800 Intermediate bottom

**iQ300**  
**ET875FCP1D**  
**812 mm**

#### Features

##### Design

- Stainless Steel side trim with bevelled front edge

##### Special features

- 4 quick-lite cooking zones
- 2 dual/extendable zones
- 1 Ring zone double + roaster
- touchSlider control
- 17 power levels
- Electronic power level display
- Timer for all zones
- Acoustic signal
- Control panel pause
- reStart function

##### Safety Features

- Main on/off switch
- Power on indicator
- 2 stage residual heat indicators
- Control panel lock
- Automatic safety switch off
- Individual energy consumption display

##### Quickness:

- PowerBoost function

##### Technical information

- Min. worktop thickness: 20 mm

iQ300  
ET875FCP1D  
812 mm

Dimensioned drawings

